

1608 CPR P046

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the constructions product:

Hot rolled products of structural steels

whose characteristics are detailed in the attached annex,

produced by or for

Acciaierie Venete Spa

Via Riviera Francia 9/11 35127 Padova PD - IT

and produced in the manufacturing plant(s)

Camin PD - IT

This certificate attests that all provisions concerning the assessment and verification of performance described in Annex ZA of the standard

EN 10025-1:2004

under system 2+ are applied and that

the factory production control fulfils all the prescribed requirements set out above.

This certificate was first issued on 14/07/2006 and will remain valid as long as the test method and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manifacturing conditions in the plant are not modified significantly.

Current issue:

10/07/2020

The Director ing. Roberto Pieroncini



Hot rolled products of structural steels according to EN 10025-1

SHAPE			MATERIALS
Description	Dimension	Standard	Standard and Steel grade
Square bars	Width: 18 ÷ 220 mm	EN 10059:2003	EN 10025-2: S235JR, S235J0, S235J2, S275JR, S275J0, S275J2, S355JR, S355J0, S355J2
Round bar	Diameter: 18 ÷ 220 mm	EN 10060:2003	EN 10025-2: S235JR, S235J0, S235J2, S275JR, S275J0, S275J2, S355JR, S355J0, S355J2

first issue: 14/07 current issue: 10/07

14/07/2006 10/07/2020

The Director ing. Roberto Pieroncini



1608 CPR P048

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the constructions product:

Hot rolled products of structural steels

whose characteristics are detailed in the attached annex,

produced by or for

Acciaierie Venete Spa

Via Antonini, 82 25068 Sarezzo BS - IT

and produced in the manufacturing plant(s)

Sarezzo BS - IT

This certificate attests that all provisions concerning the assessment and verification of performance described in Annex ZA of the standard

EN 10025-1:2004

under system 2+ are applied and that

the factory production control fulfils all the prescribed requirements set out above.

This certificate was first issued on **14/07/2006** and will remain valid as long as the test method and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manifacturing conditions in the plant are not modified significantly.

Current issue:

19/07/2019

The Director



Hot rolled products of structural steels according to EN 10025-1

SHAPE			MATERIALS	
Description	Dimension Standard		Standard and Steel grade	
Round bar	Diameter: 10 ÷ 50 mm	EN 10060:2003		
Round rod	Diameter: 10 ÷ 50 mm	EN 10017:2005	EN 10025-2: S235JR, S235J0, S235J2, S275JR, S275J0, S275J2, S355JR, S355J0, S355J2	
Square rod	Dimension: 11 ÷ 35 mm	EN 10017:2005		

first issue: 14/07/2006 current issue: 19/07/2019

Il Direttore ing. Dario Agalbato



1608 CPR P049

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the constructions product:

Hot rolled products of structural steels

whose characteristics are detailed in the attached annex,

produced by or for

Acciaierie Venete Spa

Località Breda, 1 25070 Mura BS - IT

and produced in the manufacturing plant(s):

Mura BS - IT

This certificate attests that all provisions concerning the assessment and verification of performance described in Annex ZA of the standard

EN 10025-1:2004

under system 2+ are applied and that

the factory production control fulfills all the prescribed requirements set out above.

This certificate was first issued on **14/07/2006** and will remain valid as long as the test method and/or factory production control requirements included in the harmonized standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Current issue:

04/04/2017



Hot rolled products of structural steels according to EN 10025-1

SHAPE			MATERIALS
Description	Dimension	Standard	Standard and Steel grade
Flat bars	From 50 to 400 mm with thickness from 5 to 100 mm	EN 10058: 2003	EN 10025-2: S235JR, S235J0, S235J2, S275JR, S275J0, S275J2, S355JR, S355J0, S355J2 EN 10025-5 ^{a)} : S235J0W, S235J2W, S355J0W, S355J2W
Square bars	Width: 70 ÷ 100 mm	EN 10059: 2003	EN 10025-2: S235JR, S235J0, S235J2, S275JR, S275J0, S275J2, S355JR, S355J0, S355J2
Leg angles	From 80 to 150 mm with thickness from 8 to 18 mm	EN 10056-2: 1993	EN 10025-2: S235JR, S235J0, S235J2, S275JR, S275J0, S275J2, S355JR, S355J0, S355J2 EN 10025-5: S235J0W, S235J2W, S355J0W, S355J2W
U profile	From 65 to 200 mm with thickness up to 10 mm EN 10279: 2000		EN 10025-2: S275JR

a) For thickness higher than 60mm steel grades according to EN 10025-5 are not allowed

first issue: 14/07/2006 current issue: 04/04/2017

II Direttore ing. Dario Agalbato



1608 CPR P050

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the constructions product:

Hot rolled products of structural steels

whose characteristics are detailed in the attached annex,

produced by or for

Acciaierie Venete Spa

Passo di Napoleone, 829 37020 Dolcè VR - IT

and produced in the manufacturing plant(s)

Dolcè VR

This certificate attests that all provisions concerning the assessment and verification of performance described in Annex ZA of the standard

EN 10025-1:2004

under system 2+ are applied and that

the factory production control fulfils all the prescribed requirements set out above.

This certificate was first issued on **14/07/2006** and will remain valid as long as the test method and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manifacturing conditions in the plant are not modified significantly.

Current issue:

28/08/2014



Hot rolled products of structural steels according to EN 10025-1

SHAPE			MATERIALS
Description	Dimension	Standard	Standard and Steel grade
Flat bars	From 20 to 120 with thickness from 4 to 30 mm	EN 10058:2003	EN 10025-2: S235JR, S235J0, S235J2, S275JR, S275J0, S275J2, S355JR, S355J0, S355J2 EN 10025-5: S355J0W, S355J2W
Square bars	Diameter: 12 ÷ 32 mm	EN 10059:2003	EN 10025-2: S235JR, S235J0, S235J2, S275JR, S275J0, S275J2, S355JR, S355J0, S355J2 EN 10025-5: S355J0W, S355J2W
Legs Angles	50x50 with thickness from 5 mm	EN 10056-2: 1993	EN 10025-2: S275JR

first issue: 14/07/2006 current issue: 28/08/2014

Il Direttore ing. Dario Agalbato



1608 CPR P051

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the constructions product:

Hot rolled products of structural steels

whose characteristics are detailed in the attached annex,

produced by or for

Acciaierie Venete Spa

Via Andreuzza, 34/1 33030 Buia UD - IT

and produced in the manufacturing plant(s)

Buia UD - IT

This certificate attests that all provisions concerning the assessment and verification of performance described in Annex ZA of the standard

EN 10025-1:2004

under system 2+ are applied and that

the factory production control fulfils all the prescribed requirements set out above.

This certificate was first issued on **14/07/2006** and will remain valid as long as the test method and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manifacturing conditions in the plant are not modified significantly.

Current issue:

24/05/2018



Characteristic for

Hot rolled products of structural steels according to EN 10025-1

SHAPE			MATERIALS
Description	Dimension	Standard	Standard and Steel grade
Flat bars	From 12 to 100 mm with thickness from 3 to 30 mm	EN 10058:2003	EN 10025-2: S235JR, S275JR, S355JR, S355J0, S355J2
Flat oval bars	From 20 to 60 mm with thickness from 8 to 20 mm	EN 10058:2003	EN 10025-2: S235JR, S275JR, S355JR, S355J0, S355J2
Square bars	Width: 9 ÷ 62 mm EN 10059:2003		EN 10025-2: S235JR, S275JR, S355JR, S355J0, S355J2
Round bar	Diameter: 9 ÷ 17 mm	EN 40060-2002	EN 10025-2: S235JR, S275JR, S355JR, S355J0, S355J2
	Diameter: 9 ÷ 20 mm	EN 10060:2003	EN 10025-2: S235JR, S275JR

first issue: 14/07/2006 current issue: 24/05/2018



1608 CPR P146

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the constructions product:

Hot rolled products of structural steel

whose characteristics are detailed in the attached annex,

placed on the market under the name or trade mark of

Acciaierie Venete Spa

Via Puisle, 4 - 38051 Borgo Valsugana TN - IT

and produced in the manufacturing plant(s)

Odolo BS - IT

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 10025-1: 2004

under system 2+ are applied and that

the factory production control is assessed to be in conformity with the applicable requirements.

This certificate was first issued on **07/10/2013** and will remain valid as long as neither the harmonized standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

Current issue:

01/04//2019



Characteristics for

Hot rolled products of structural steel according to EN 10025-1

SHAPE			STEEL GRADES
Shapes	Sizes	Standard	Standard and steel grades
Flats	Width: 30 ÷ 160 mm Thickness: 7 ÷ 67 mm	EN 10058:2004	EN 10025-2: S235JR, S235J0, S235J2 S275JR, S275J0, S275J2 S355JR, S355J0, S355J2 S450J0
Square bars	25 ÷ 100 mm	EN 10059:2003	EN 10025-2: S235JR, S235J0, S235J2 S275JR, S275J0, S275J2 S355JR, S355J0, S355J2 S450J0
Rounds bars	20 ÷ 90 mm	EN 10060:2003	EN 10025-2: S235JR, S235J0, S235J2 S275JR, S275J0, S275J2 S355JR, S355J0, S355J2 S450J0

first issue: 07/10/2013 current issue: 01/04/2019